

Material Safety Data Sheet



NeoCryl A-615

Section 1. Chemical product and company identification

Product name : NeoCryl A-615
Supplier : DSM NeoResins+, Inc. Telephone : +1 (978) 658-6600
730 Main Street
Wilmington, MA 01887
USA

Material uses : Resin used in the production of coatings, inks and/or adhesives

Emergency telephone number : 800-424-9300 Medical Emergency

For chemical emergency, spill, leak, fire, exposure or accident: call CHEMTREC day or night. DOMESTIC NORTH AMERICA 800-424-9300; INTERNATIONAL, CALL 703-527-3887 (collect calls accepted)

Section 2. Hazards identification

Physical state : Liquid.
Odor : Mild.
Emergency overview : WARNING!
CAUSES EYE IRRITATION. MAY CAUSE SKIN IRRITATION.
Irritating to eyes. Slightly irritating to the skin. Avoid breathing vapor or mist. Avoid contact with eyes, skin and clothing. Wash thoroughly after handling.

OSHA/HCS status : This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Hazardous Material Information System (U.S.A.)

Health	1
Flammability	1
Physical hazards	0
PERSONAL PROTECTION	

The PPE (Personal Protection Equipment) designation in the HMIS is provided for use by employees at supplier sites only. Other users of this product are encouraged to evaluate the hazards of the product and assign PPE that is applicable to their specific situations.

Potential acute health effects

Inhalation : No known significant effects or critical hazards.
Ingestion : No known significant effects or critical hazards.
Skin : Slightly irritating to the skin.
Eyes : Irritating to eyes.

Potential chronic health effects

Chronic effects : No known significant effects or critical hazards.
Carcinogenicity : No known significant effects or critical hazards.
Mutagenicity : No known significant effects or critical hazards.
Teratogenicity : No known significant effects or critical hazards.
Developmental effects : No known significant effects or critical hazards.

Continued on next page

Fertility effects : No known significant effects or critical hazards.
Medical conditions aggravated by over-exposure : None known.
 See toxicological information (Section 11)

Section 3. Composition/information on ingredients

<u>Name</u>	<u>CAS number</u>	<u>% by weight</u>
2-(2-Ethoxyethoxy)ethanol	111-90-0	1- 10

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Section 4. First aid measures

Eye contact : Rinse with plenty of running water. Get medical attention if symptoms occur.
Skin contact : Wash with soap and water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Inhalation : If inhaled, remove to fresh air. Get medical attention if symptoms occur.
Ingestion : If swallowed, rinse mouth with water (only if the person is conscious). Get medical attention if symptoms occur.
Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
Notes to physician : No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

Section 5. Fire-fighting measures

Flammability of the product : In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous thermal decomposition products : In case of fire, may produce hazardous decomposition products such as carbon monoxide, carbon dioxide, (dense) black smoke, aldehydes, organic acids.
Extinguishing media
Suitable : Use water, foam or dry chemical powder.
Special fire-fighting procedures : No special measures required.
Protection of fire-fighters : Wear suitable protective clothing. Self-contained breathing apparatus.
Remarks : The material will not support combustion unless the water has evaporated.

Section 6. Accidental release measures

Personal precautions : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see Section 8).
Environmental precautions : No special measures required.
Methods for cleaning up : Absorb spill with inert material (e.g. dry sand or earth) and place in a chemical waste container. Recycle, if possible. Clean up affected area with a large amount of water.

Section 7. Handling and storage

- Handling** : Use with adequate ventilation.
- Storage** : Store in a fireproof location. Keep away from incompatible materials and avoid specific conditions (See section 10). Sensitive to frost.
- Storage temperature** : Store between the following temperatures: 5 and 40 °C.

Section 8. Exposure controls/personal protection

- Engineering controls** : No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits.

Personal protection

- Eyes** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts.
- Skin** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory** : Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
- Hands** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Product name

2-(2-Ethoxyethoxy)ethanol

Exposure limits

AIHA WEEL (United States, 5/2010).

TWA: 25 ppm 8 hour(s).

Consult local authorities for acceptable exposure limits.

- Remarks** : If respiratory protection is needed, use a NIOSH certified respirator with an Assigned Protection Factor (APF) of at least 10.

Section 9. Physical and chemical properties

- Physical state** : Liquid.
- Flash point** : Closed cup: >100°C (>212°F) [(estimate)]
- Color** : White, translucent.
- Odor** : Mild.
- pH** : 7.9 to 8.5
- Boiling point** : 100°C (212°F)
- Specific gravity** : 1.03
- Vapor pressure** : 2.3 kPa (17.251 mm Hg) [20°C]
- Viscosity** : Dynamic: 200 mPa·s (200 cP)
- Solubility** : Partially soluble in the following materials: cold water and hot water.
- Remarks** : Miscible in water.

Section 10. Stability and reactivity

Stability and reactivity	: The product is stable.
Conditions to avoid	: Keep away from heat, sparks and flame.
Materials to avoid	: No special recommendations.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.

Section 11. Toxicological information

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
2-(2-Ethoxyethoxy)ethanol	LD50 Dermal	Rabbit	>10000 mg/kg	-
	LD50 Dermal	Rabbit	4200 uL/kg	-
	LD50 Oral	Rat	7500 mg/kg	-
	LD50 Oral	Rat	5400 mg/kg	-
	LD50 Oral	Rat	5500 uL/kg	-
	LC50 Inhalation Vapor	Rat	>5240 mg/m ³	4 hours

Conclusion/Summary : Not available.

Chronic toxicity

Conclusion/Summary : Not available.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
2-(2-Ethoxyethoxy)ethanol	Eyes - Irritant	Human	-	-	-
	Eyes - Mild irritant	Rabbit	-	125 milligrams	-
	Eyes - Moderate irritant	Rabbit	-	500 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-

Conclusion/Summary : Not available.

Sensitizer

Conclusion/Summary : Not available.

Carcinogenicity

Conclusion/Summary : Not available.

Mutagenicity

Conclusion/Summary : Not available.

Teratogenicity

Conclusion/Summary : Not available.

Reproductive toxicity

Conclusion/Summary : Not available.

Section 12. Ecological information

Ecotoxicity : No known significant effects or critical hazards.

Aquatic ecotoxicity

Product/ingredient name	Result	Species	Exposure
2-(2-Ethoxyethoxy)ethanol	Acute LC50 6010000 ug/L Fresh water	Fish - Ictalurus punctatus - 0.72 g	96 hours

Conclusion/Summary : Not available.

Persistence/degradability

Conclusion/Summary : Not available.

Section 13. Disposal considerations

Waste disposal : Waste must be disposed of in accordance with national and local environmental regulations.

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

Consult your local or regional authorities.

Section 14. Transport information

Regulatory information	UN number	Proper shipping name	Class	Packing group	Label	Additional information
DOT Classification	Not regulated.	-	-	-		-
TDG Classification	Not regulated.	-	-	-		-
Mexico Classification	Not regulated.	-	-	-		-
ADR/RID Class	Not regulated.	-	-	-		-
IMDG Class	Not regulated.	-	-	-		-
IATA-DGR Class	Not regulated.	-	-	-		-

Section 15. Regulatory information

Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs) : Listed

SARA 313

	<u>Product name</u>	<u>CAS number</u>	<u>Concentration</u>
Form R - Reporting requirements	: 2-(2-Ethoxyethoxy)ethanol	111-90-0	8.8
Supplier notification	: 2-(2-Ethoxyethoxy)ethanol	111-90-0	8.8

SARA 313 notifications must not be detached from the MSDS and any copying and redistribution of the MSDS shall include copying and redistribution of the notice attached to copies of the MSDS subsequently redistributed.

Continued on next page

State regulations :

- Connecticut Carcinogen Reporting:** None of the components are listed.
- Connecticut Hazardous Material Survey:** None of the components are listed.
- Florida substances:** None of the components are listed.
- Illinois Chemical Safety Act:** None of the components are listed.
- Illinois Toxic Substances Disclosure to Employee Act:** None of the components are listed.
- Louisiana Reporting:** None of the components are listed.
- Louisiana Spill:** None of the components are listed.
- Massachusetts Spill:** None of the components are listed.
- Massachusetts Substances:** None of the components are listed.
- Michigan Critical Material:** None of the components are listed.
- Minnesota Hazardous Substances:** None of the components are listed.
- New Jersey Hazardous Substances:** The following components are listed: GLYCOL ETHERS
- New Jersey Spill:** None of the components are listed.
- New Jersey Toxic Catastrophe Prevention Act:** None of the components are listed.
- New York Acutely Hazardous Substances:** None of the components are listed.
- New York Toxic Chemical Release Reporting:** None of the components are listed.
- Pennsylvania RTK Hazardous Substances:** The following components are listed: GLYCOL ETHERS
- Rhode Island Hazardous Substances:** None of the components are listed.

California Prop. 65

WARNING: This product contains less than 1% of a chemical known to the State of California to cause birth defects or other reproductive harm.


<u>Ingredient name</u>	<u>Cancer</u>	<u>Reproductive</u>	<u>No significant risk level</u>	<u>Maximum acceptable dosage level</u>
2-Pyrrolidinone, 1-methyl-	No.	Yes.	No.	3200 µg/day (inhalation)
Toluene	No.	Yes.	No.	7000 µg/day (ingestion)

United States inventory (TSCA 8b) : All components are listed or exempted.

Section 16. Other information

Label requirements : CAUSES EYE IRRITATION. MAY CAUSE SKIN IRRITATION.

National Fire Protection Association (U.S.A.) :



Date of printing : 7/10/2012.
Date of issue : 7/10/2012.
Date of previous issue : No previous validation.
Version : 3
Code : 030336WW43770

Notice to reader

The information contained in the Material Safety Data Sheet is based on our data available on the date of publication. The information is intended to aid the user in controlling the handling risks; it is not to be construed as a warranty or specification of the product quality. The information may not be or may not altogether be applicable to combinations of the product with other substances or to particular applications.

The user is responsible for ensuring that appropriate precautions are taken and for satisfying themselves that the data are suitable and sufficient for the product's intended purpose. In case of any unclarity we advise consulting the supplier or an expert.

Sources of key data : Literature data and/or investigation reports are available through the manufacturer.

Alterations compared to the previous version : Alterations compared to the previous version are marked with a little (blue) triangle.