



# Material Safety Data Sheet

## CHEMNOX AN-1010

### 1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

**Product name** : pentaerythritol tetrakis(3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate)  
**CAS number** : 006683-19-8  
**Company name** : UV Chem-Keys Co., Ltd  
RM9-G, F/9, First Trade Tower, 985# Dongfang RD, Shanghai, China  
Zip Code: 200122  
Tel: 86 21 58785816  
Fax: 86 21 58786585

### 2. Health Hazards Data

**CAS Number** : 006683-19-8  
**Product Name** : pentaerythritol tetrakis(3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate)

### 3. HAZARDS IDENTIFICATION

No special hazards.

### 4. FIRST AID MEASURES (SYMPTOMS)

### 4. FIRST AID MEASURES (ACTION)

**Skin contact** : Wash off with soap and plenty of water. Do not use organic solvents  
**Eye contact** : Rinse immediately with plenty of water for at least 15 minutes. In case of eye irritation, seek medical attention.  
**Ingestion** : Immediately give plenty (> 500 ml) of water (if possible charcoal slurry). In case of spontaneous vomiting be sure that vomitus can freely drain due to danger of suffocation. Give water repeatedly. Artificial induction of vomiting should be restricted to first aid staff. Give nothing by mouth in cases of unconsciousness or convulsion. Seek medical advice.  
**Inhalation** : Move to fresh air. In case of irritation of respiratory system or mucous membranes, seek medical attention. In case of indisposition, seek medical attention. In case of prolonged exposure, seek medical attention.



## Material Safety Data Sheet CHEMNOX AN-1010

### 5. FIRE-FIGHTING MEASURES

- General Information** : Water spray, Carbon dioxide (CO<sub>2</sub>), Foam, Dry powder
- Extinguishing Media** : High volume water jet
- Exposure hazards** : Contaminated water from fire hoses or sprinklers, etc., must be prevented from draining into watercourses, sewers, or the ground water. Sufficient measures must be taken to retain water used for extinguishing. Contaminated water and soil must be disposed of in conformity with local regulations.
- Special protective equipment for firefighters** : Wear full protective clothing. Wear self-contained breathing apparatus.
- Hazardous decomposition products** : Oxides of carbon, Toxic gases/vapours

### 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions** : Do not breathe vapours/dust. Remove all sources of ignition. Avoid contact with skin, eyes and clothing.
- Environmental precautions** : Do not flush into surface water, sanitary sewer or ground water system.
- Methods for cleaning up** : Use mechanical handling equipment. Collect the spilled product into suitable containers, which must be tightly sealed and properly labelled. Avoid dust formation.

### 7. HANDLING AND STORAGE

- Handling** : Handle and open container with care. Avoid dust formation and ignition sources. Ensure good local exhaust ventilation.  
Do not eat, drink or smoke at the workplace.
- Storage** : Keep away from food and drink. Store in the original container securely closed.  
Danger! Explosion risk. Risk of explosion if an air-dust mixture forms. Avoid creating dusty conditions. Empty only into earthed containers. If container is larger than 2000 liter in volume, or when flammable solvents are present inert container or use a system otherwise designed to prevent or contain an explosion -- seek expert advice.



# Material Safety Data Sheet

## CHEMNOX AN-1010

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

<b>Exposure limit(s)</b>	:	<b>internal exposure limit (8 hour time weighted average)</b> 10 mg/m <sup>3</sup>
<b>Technical measures/Precautions</b>	:	Exposure limit(s) should be monitored using suitable analytical equipments.
<b>Respiratory protection</b>	:	Effective dust mask.
<b>Hand protection</b>	:	Protective gloves
<b>Eye protection</b>	:	Suitable goggles or face protection
<b>Skin and body protection</b>	:	Working clothes , Closed footwear

### 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Physical State</b>	:	powder	
<b>Colour</b>	:	white to off-white	
<b>Odour</b>	:	odourless	
<b>Melting/freezing temperature</b>	:	110 - 125 °C	
<b>Boiling point/range</b>	:	not applicable	
<b>Density</b>	:	20 °C 1.15 g/cm <sup>3</sup>	
<b>Flash point</b>	:	297 °C	DIN 51584
<b>Ignition Temperature</b>	:	410 °C BAM	
<b>Oxidising properties</b>	:	not tested	
<b>Self-ignition temperature</b>	:	> 350 °C	
<b>Water solubility</b>	:	20 °C < 0.001 g/l EEC A 6	
<b>Vapour pressure</b>	:	20 °C 1.3E-10 Pa	
<b>Partition coefficient</b>	:	<b>Log Pow</b> 23	OECD 107 / calculated EEC A 8
<b>pH-value</b>	:	5.89	
<b>Explosive properties</b>	:	not tested	

### 10. STABILITY AND REACTIVITY

<b>Decomposition Temperature</b>	:	> 350 °C
<b>Shock Sensitivity</b>	:	not tested
<b>Conditions to Avoid</b>	:	Static discharges.
<b>Materials to Avoid</b>	:	Strong acids, strong bases and strong oxidising agents
<b>Hazardous Decomposition Products</b>	:	Carbon monoxide, carbon dioxide toxic, gases.



# Material Safety Data Sheet

## CHEMNOX AN-1010

### 11. TOXICOLOGICAL INFORMATION

<b>Acute oral toxicity</b>	:	
<b>oral</b>	:	LD50 > 2000 mg/kg
<b>derma</b>	:	not irritant
<b>eye</b>	:	not irritant
<b>skin</b>	:	not sensitizing

### 12. ECOLOGICAL INFORMATION

<b>Acute toxicity to fish</b>	:	LC50 > 100 mg/l (Zebra fish, 96 hours)	
<b>Acute toxicity to daphnia</b>	:	EC50 > 86mg/l (Daphnia magna, 24 hours)	EEC C 3
<b>Acute toxicity to bacteria</b>	:	IC50 > 100 mg/l (Sewage sludge, 3 hours)	
<b>Acute toxicity to algae</b>	:	EC50 > 100 mg/l (Scenedesmus sp., 72 hours)	
<b>Biodegradability</b>	:	5 % OECD	301 B
<b>Bioconcentration</b>	:	< 2.3	OECD 305 C
<b>Factor (BCF)</b>	:		
<b>Ecotoxic effects</b>	:	Do not discharge product uncontrolled into the environment.	

### 13. DISPOSAL CONSIDERATIONS

<b>Waste from residues / unused products</b>	:	Residual chemical should be disposed by incineration or by other modes of disposal in compliance with local legislation.
<b>Contaminated packaging</b>	:	Contaminated packaging material should be treated equivalent to residual chemical. Clean packaging material should be subjected to waste management schemes (recovery recycling, reuse) according to local legislation.

### 14. Transport information

<b>Flash Point</b>	:	297 °C
<b>ADR/RID Class</b>	:	Free
<b>IMO Class</b>	:	Free
<b>ICAO Class</b>	:	Free

### 15. REGULATORY INFORMATION

Classification Classification not required

### 16. Other information

<b>Legal disclaimer</b>	:	The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.
-------------------------	---	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------